

[54] DEACETYLATED POLYSACCHARIDE S-60

[75] Inventors: Kenneth S. Kang, LaJolla; George T. Colegrove; George T. Veeder, both of San Diego, all of Calif.

[73] Assignee: Merck & Co., Inc., Rahway, N.J.

[21] Appl. No.: 178,053

[22] Filed: Aug. 14, 1980

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 47,505, Jun. 8, 1979, abandoned, which is a continuation-in-part of Ser. No. 966,538, Dec. 4, 1978, abandoned.

[51] Int. Cl.³ C07H 1/00; C07H 1/08

[52] U.S. Cl. 536/1; 8/561; 8/563; 71/DIG. 1; 106/205; 106/209; 260/112 R; 252/316; 252/352; 252/356; 426/573; 426/589; 426/658; 435/104; 435/243; 536/114; 536/119

[58] Field of Search 536/1, 114; 260/112 R

[56] References Cited

U.S. PATENT DOCUMENTS

3,000,790	9/1961	Jeanes et al.	536/1
3,516,983	6/1970	Colegrove	536/1
4,119,491	10/1978	Wellington	536/114
4,154,822	5/1979	Polimeni et al.	536/1

FOREIGN PATENT DOCUMENTS

2396019 1/1979 France 536/1

OTHER PUBLICATIONS

Chem. Abst., vol. 86, No. 1, Jan. 3, 1977, p. 321, abstr. 3575(e).

Primary Examiner—Johnnie R. Brown

Attorney, Agent, or Firm—Gabriel Lopez; Hesna J. Pfeiffer

[57]

ABSTRACT

Deacetylated Polysaccharide S-60, prepared by deacetylating the polysaccharide S-60 produced by fermentation of *Pseudomonas elodea*, ATCC 31461, has valuable properties in both the clarified and non-clarified form, and is useful as an agar substitute or a shapeable room deodorant.

The non-clarified deacetylated gum contains about 17% protein and principally carbohydrate, which comprises glucuronic acid (~13% based on wt. gum) and the neutral sugars rhamnose and glucose in the approximate molar ratio 3:2.

The clarified, deacetylated gum contains mostly carbohydrate and no more than about 2% protein.

4 Claims, No Drawings